

- Curculionidae). *Ann. Entomol. Soc. Am.*, **97**, 949-956 (2004).
- Lei, Z., L. Li, Y. Guo, W. Wang and K. Yu: RAPD analysis of two sibling species of *Helicoverpa* in China. *Plant Prot.*, **21**, 10-12 (1995).
- Oparaake, A.M. The potential for controlling *Maruca vitrata* Fab. and *Clavigralla tomentosicollis* Stal. using different concentrations and spraying schedules of *Syzygium aromaticum* (L.) Merr and Perr on cowpea plants. *J. Plant Sci.*, **1**, 132-137 (2006).
- Periasamy, M., R. Schafleitner, K. Muthukalingan and S. Ramasamy : Phylogeographical structure in mitochondrial DNA of legume pod borer (*Maruca vitrata*) population in Tropical Asia and Sub-Saharan Africa. *PLoS One*, **10**, 24 (2015).
- Prakash, B.M. and H.P. Puttaraju: Frequency of infection with A and B super group *Wolbachia* in insects and pests associated with mulberry and silkworm. *J. Biosci.*, **32**, 671-676 (2007).
- Ramasubramanian, G.V. and P.C. Sundara Babu. Comparative biology of the spotted pod borer, *Maruca testulalis* Geyer on three host plants. *Legume Res.*, **12**, 177-178 (1989).
- Reyes, A. and M.D. Ochando: Mitochondrial DNA variation in Spanish populations of *Ceratitis capitata* (Wiedemann) (Tephritidae) and the colonization process. *J. Econ. Entomol.*, **128**, 358-364 (2004).
- Roehrdanz, R.L., J.D. Lopez, J. Loera and D.E. Hendricks: Limited mitochondrial DNA polymorphism in North American populations of *Heliothis virescens* (Lepidoptera: Noctuidae). *Ann. Entomol. Soc. Am.*, **87**, 856 (1994).
- Rohlf, F. J.: NTSYS-pc Numerical Taxonomy and multivariate Analysis System- Version 2.02. Exeter Publications Setauket, New York (1998).
- Sambathkumar, S. and C. Durairaj : Comparision of sex ratio of *Maruca vitrata* Geyer (Lepidoptera: Crambidae) populations from pulse hosts. *Hexapoda*, **19**, 23-26 (2012)
- Scarborough, C.L., J. Ferrari and H.C.J. Godfray: Aphid protected from pathogen by endosymbiont. *Science*, **310**, 1781-1781 (2005).
- Singh, S.R. and L.E.N. Jackai: The legume pod-borer, *Maruca testulalis* (Geyer): past, present and future research. *Insect Sci. Appl.*, **9**, 1-5 (1988).
- Sharma, A.K., M.J. Mendki, S.N. Tikar, K. Chandel, D. Sukumaran, B.D. Parashar, V. Veer, O.P.S. Agarwal and Prakash: Genetic variability in geographical populations of *Culex quinquefasciatus* Say (Diptera: Culicidae) from India based on random amplified polymorphic DNA analysis. *Acta Trop.*, **112**, 71-76 (2009).
- Sharma, H.C.: Bionomics, host plant resistance, and management of the legume pod borer, *Maruca vitrata*—a review. *Crop Prot.*, **17**, 373-386 (1998).
- Shashank, P.R., R. Ojha, T. Venkatesan, S.K. Jalali and K.R.M. Bhanu: Molecular characterization of brinjal shoot and fruit borer *Leucinodes orbonalis* Guinee (Lepidoptera: Crambidae) based on mitochondrial marker, cytochrome oxidase I and their phylogenetic relationship. *Indian J. Expt. Biol.*, **53**, 51-55 (2015).
- Sneath, P.H.A. and R.R. Sokal : Numerical Taxonomy : The Principles and Practice of Numerical Classification. San Francisco, California, p.573 (1973).
- Sumithra, N.M. Guruprasad and H.P. Puttaraju : A comparative analysis of long PCR and standard PCR technique in detecting the *Wolbachia* endosymbiont. *Curr. Trends Biotechnol. Pharm.*, **6**, 472-478 (2012).
- Taylor, D.B., A.L. Szalanski and R.D. Peterson: Mitochondrial DNA variation in screwworm. *Med. Veter. Entomol.*, **10**, 161-169 (1996).
- Ulrichs, C., I. Mewis, W.H. Schnitzler and J.R. Burleigh: Parasitoids of the bean podborer, *Maruca vitrata* F. (Lepidoptera: Pyraustinae), a pest of *Vigna sesquipedalis* in the Philippine lowlands. *Mitteilungen der Deutschen Gesellschaft fur allgemeine und angewandte Entomologie [German]*, **13**, 283-288 (2001).
- Von Burg, S., J. Ferrari, C.B. Müller and C. Vorburger: Genetic variation and co-variation of susceptibility to parasitoids in the aphid *Myzus persicae*—no evidence for trade-offs. *Proc. R. Soc.- B*, **275**, 1089-1094 (2008).
- Vorburger, C., L. Gehrer and P. Rodriguez: A strain of the bacterial symbiont, *Regiella insecticola* protects aphids against parasitoids. *Biol. Lett.*, **6**, 109-111 (2010).
- Williams, C.L., S.L. Goldson, D.B. Baird and D.W. Bullock: Geographical origin of an introduced insect pest, *Listronotus bonariensis* (Kuschel), determined by RAPD analysis. *Heredity*, **72**, 412-419 (1994).
- Zhou, X., O. Faktor, S.W. Applebaum and M. Coll: Population structure of the pestiferous moth *Helicoverpa armigera* in the Eastern Mediterranean using RAPD analysis. *Heredity*, **85**, 251-256 (2000).