

Acknowledgments

Special thanks are due to our revered teacher Prof. Pranjit Sarma (retired), Department of Botany, The University of Burdwan (West Bengal, India) for his constant encouragement. The financial assistance provided by the UGC and laboratory facilities provided by the Head, Department of Botany; The University of Burdwan are gratefully acknowledged. Sincere thanks are also due to Professor Sunil Bajpai, Director, Birbal Sahni Institute of Palaeosciences, Lucknow for SEM and other facilities (Permission No. BSIP/RDCC/Publication No. 19/2015-16). One of us (A.C) is indebted to DST for the DST-INSPIRE Fellowship (IF-120842).

References

- Agarkar, D.S., M.S. Agarkar and R. Dixit: Desmids from Bandhavgarh, Madhya Pradesh, India. *Hydrobiologia*, **65**, 213-223 (1979).
- Bellinger, E.G. and D.C. Sigeo: Freshwater Algae: Identification, Enumeration and Use as Bioindicators. John Wiley & Sons, Inc., Hoboken, NJ, USA. Doi: 10.1002/9781118917152.ch1 (2015).
- Buragohain, B.B., Y. Farista and N.K. Brahma: Epilithic algal flora of Samaguri Lake, India: A systematic approach on algae-I. *Annals of Biol. Res.*, **3**, 4808-4819 (2012).
- Desikachary, T.V.: Marine diatoms of the Indian Ocean region. In: *Atlas of diatoms Fasc. VI* (Ed.: T.V. Desikachary), Madras Science Foundation, Madras, India, pp. 1-27 (1989).
- Faustino, S.B., L. Fontana, E.C.R. Bartozek, C.E.M. Bicudo and D.C. Bicudo: Composition and distribution of diatom assemblages from core and surface sediments of a water supply reservoir in Southeastern Brazil. *Biota Neotropica*, **16**, e20150129. <http://dx.doi.org/10.1590/1676-0611-BN-2015-0129> (2016).
- Freitas, J.F. and N.D. Kamat: Desmidiaceae of Nagpur. *Phykos*, **18**, 97-103 (1979).
- Gandhi, H.P.: On the diatom flora of some ponds around Vasna village near Ahmedabad. *J. Indian Bot. Soc.*, **39**, 558-567 (1960).
- Kadiri, M.O.: More desmids from the Ikpoba reservoir (Nigeria) compared with other records from Africa. *Algological Stud.*, **80**, 87-98 (1996).
- Kadiri, M.O.: Phytoplankton distribution in the coastal areas of Nigeria. *Nig. J. Bot.*, **12**, 51-62 (1999).
- Kamat, N.D. and R. Aggarwal: Diatoms from Nainital. *J. Bombay Nat. Hist. Soc.*, **72**, 240-241 (1975).
- Kamat, N.D.: Algae of Alibag, Maharashtra. *J. Bombay Nat. Hist. Soc.*, **65**, 88-104 (1968).
- Kamat, N.D.: The Euglenophyceae of Ahmedabad, India. *J. Univ. Bombay*, **30**, 15-21 (1961).
- Karthick, B. and J.P. Kociolek: Four new centric diatoms (Bacillariophyceae) from the Western Ghats, South India. *Phytotaxa*, **22**, 25-40 (2011).
- Karthick, B., P.B. Hamilton and J.P. Kociolek: An illustrated guide to common diatoms of Penninsular India. Gubbi Labs, Gubbi (2013).
- Keshri, J.P., A.K. Ghosh and S. Roy: On the occurrence of four diatom taxa from eastern India with a taxonomic Note. *J. Bot.*, **2016**, Article ID 1039265, 5 pages. Doi: 10.1155/2016/1039265 (2016).
- Krammer, K. and H. Lange-Bertalot: Bacillariophyceae. In: *Süsswasserflora von Mitteleuropa*, (Eds.: H. Ettl, J. Gerloff, H. Heynig and D. Mollenhauer), Spektrum Akademischer, Heidelberg, Germany, pp. 1-610 (2000).
- Nwankwo, D.I.: Fresh water swamp desmids from south Niger Delta, Nigeria. *Polkie Archiwum Hydrobiologii*, **43**, 411-420 (1996).
- Phukan, S. and S.P. Bora: Preliminary report of diatom from Sivsagar district of Assam. *Ind. J. Fund. Appl. Sci.*, **2**, 55-61 (2012).
- Prasad, B.N. and P.K. Misra: Freshwater algal flora of Andaman and Nicobar Islands. Vol. 2, Bishen Singh and Mahendra Pal Singh Publ., Dehradun, p. 284 (1992).
- Roy, S. and J.P. Keshri: Studies on four araphid taxa (Bacillariophyta) from Srikhola River, Eastern Himalaya. *Phykos*, **46**, 7-16 (2016).
- Santra, S.C. and U.C. Pal: Desmid flora of eastern India: Sikkim and West Bengal. In: *Recent trends in Algal Taxonomy: Taxonomic and Cultural Studies* (Eds.: Vidyavati and A.K. Mahato). Vol. 2, Associate Publishing Company, New Delhi, pp. 409-513 (2006).
- Senthilkumar, R. and K. Sivakumar: Studies on phytoplankton diversity in response to abiotic factors in Veeranam lake in the Cuddalore district of Tamil Nadu. *J. Environ. Biol.*, **29**, 747-752 (2008).
- Shashikanth and V.K. Anand: Interrelationships of phytoplankton and physical factors in Mansar lake Jammu (J & K). *Indian J. Ecol.*, **5**, 134-140 (1978).
- Sidhu, P. and M.V.N. Panikkar: Desmids new to Kerala, India-I. *Feddes Repertorium*, **106**, 317-323 (1995).
- Starmach K.: Euglenophyta – Eugleniny, Flora Słodkowodna Polski. Polska Akademia Nauk, Instytut Botaniki. Vol. 3, Polskie Wydawnictwo Naukowe, Krakow, p. 563 (1983).
- Tiseer, F.A., Y. Tanimu and A.M. Chia: Seasonal occurrence of algae and physicochemical parameters of Samaru Stream, Zaria, Nigeria. *Asian Jour. Ear. Sci.*, **1**, 31-37 (2008).
- Vidyavati: Glimpses in Phycology. Jain Brothers, New Delhi (1995).
- Whitton, B.A., E. Rott and G. Friedrich: Use of algae for monitoring rivers. Proc. Int. Symp. Dusseldorf. Germany, pp. 1-193 (1991).
- Wolowski, K.: Phylum Euglenophyta (Euglenoids). In: *The freshwater Algal Flora of the British Isles. An Identification Guide to Freshwater and Terrestrial Algae* (Eds.: D.M. John, B.A. Whitton and A.J. Brook), Second Edn., Cambridge University Press, Cambridge, pp. 181-239 (2011).